


SERIE 410 - 510 FRENCH PROFILE DN8

412

INNESTO FEMMINA

FEMALE PLUG
 STECKER MIT INNENGEWINDE
 EMBOUT FEMELLE
 ADAPTADOR HEMBRA
 PLUG COM ROSCA FÊMEA




Code	A	B	C	D	L	CH	Pack.
00412 00 001	1/4	11	30	20	47	17	10

415

INNESTO CON PORTAGOMMA DIRITTO

STRAIGHT BARBED PLUG
 STECKER MIT SCHLAUCHTÜLLE
 EMBOUT À DOUILLE ANNELÉE
 ADAPTADOR CON PORTAGOMA RECTO
 PLUG COM ESPIGÃO PARA TUBO DE BORRACHA RETO




Code	A	B	C	D	L	Pack.
00415 00 001	8	27.5	45	20	62.5	10
00415 00 002	10	27.5	45	20	62.5	10
00415 00 003	12	33	50.5	20	68	10

Code	A	B	C	D	L	Pack.
00415 00 004	3/8	24	48	20	60	10
00415 00 005	1/2	28	54.5	20	66	10

416

INNESTO CON PORTAGOMMA A 135°

BARBED PLUG 135°
 STECKER MIT SCHLAUCHTÜLLE VON 135°
 EMBOUT À 135°, À DOUILLE ANNELÉE
 ADAPTADOR CON PORTAGOMA A 135°
 PLUG COM ESPIGÃO PARA TUBO DE BORRACHA A 135°




Code	A	B	C	L	L1	Pack.
00416 00 001	8	27.5	20	72.5	28.5	10
00416 00 002	10	27.5	20	73	29	10
00416 00 003	12	33	20	77.5	33.5	10

418

INNESTO CON PORTAGOMMA A 90°
BARBED PLUG 90°
STECKER MIT SCHLAUCHTÜLLE VON 90°
EMBOUÏ À 90°, À DOUILLE ANNELÉE
ADAPTADOR CON PORTAGOMA A 90°
PLUG COM ESPIGÃO PARA TUBO DE BORRACHA A 90°


Code	A	B	C	D	L	L1	Pack.
00418 00 001	8	27.5	39.5	20	57	49	10
00418 00 002	10	27.5	39.5	20	57	49	10
00418 00 003	12	33	39.5	20	57	55	10



511

PRESA MASCHIO
MALE SOCKET
VERSCHLUSS-KUPPLUNG MIT AUSSENGEWINDE
COUPLEUR MÂLE
ENCHUFE MACHO
SOQUETE COM ROSCA MACHO


Code	A	B	C	L	CH	Pack.
00511 00 001	1/8	6	21	27.5	5	10
00511 00 002	1/4	8	21	29	8	10
00511 00 003	3/8	9	21	30	10	10



512

PRESA PROLUNGATA MASCHIO
EXTENDED MALE SOCKET
SCHNELLKUPPLUNG MIT VERLÄNGERTEM AUSSENGEWINDE
COUPLEUR MÂLE RALLONGÉ
ENCHUFE PROLONGADO MACHO
SOQUETE COM ROSCA MACHO PROLONGADA


Code	A	B	C	D	L	CH	Pack.
00512 00 01 NU NT	1/8	27	21	21	50	5	10
00512 00 01 NV NT	1/8	60	21	21	100	5	10
00512 00 01 NW NT	1/8	60	21	21	150	5	10
00512 00 01 NX NT	1/8	60	21	21	200	5	10
00512 00 01 NY NT	1/4	27	21	20	50	8	10
00512 00 01 NZ NT	1/4	60	21	20	100	8	10
00512 00 01 PA NT	1/4	60	21	20	150	8	10
00512 00 01 PB NT	1/4	60	21	20	200	8	10
00512 00 01 PC NT	3/8	35	21	11	50	10	10
00512 00 01 PD NT	3/8	60	21	11	100	10	10
00512 00 01 PE NT	3/8	60	21	11	150	10	10
00512 00 01 PF NT	3/8	60	21	11	200	10	10



514

PRESA MASCHIO CONICO
MALE SOCKET TAPER
VERSCHLUSS-KUPPLUNG MIT AUSSENGEWINDE KONISCH
COUPLEUR MÂLE CONIQUE
ENCHUFE MACHO CÓNICO
SOQUETE COM ROSCA MACHO

Code	A	B	C	L	CH	Pack.
00514 00 01 02 TF	1/8	7.5	21	28	5	10
00514 00 01 03 TF	1/4	11	21	31	8	10
00514 00 01 04 TF	3/8	11.5	21	31	10	10







Filetto Pre Sigillato
Pre-Coating Thread
GEWINDE BESCHICHTET
Pré-Coating
Rosca Presellada
Rosca Teflonada

513

ANELLO DI RICONOSCIMENTO

IDENTIFICATION RING
 KENNZEICHNUNGSRING
 ANNEAU D'IDENTIFICATION
 ANILLO DE IDENTIFICACIÓN
 ANEL DE IDENTIFICAÇÃO

Code	Color	A	B	C	Pack.
00513 RO		4.5	22	24.5	10
00513 BL		4.5	22	24.5	10
			min	max	
 Temperature			- 15 °C	+ 110 °C	



Dimensioni sede per presa 511 Seat dimensions for 511 socket Einbaumasse für Kupplung 511 Dimensions pour coupleur 511 Dimensiones para la sede enchufe 511 Dimensões da sede para soquete 511			
Size	D	P	F
1/8	22	22	6
1/4	22	21.5	8
3/8	22	21.5	9

