

								
87000 Pag. 2.6	88020 Pag. 2.6	87010 Pag. 2.6	87010 Pag. 2.6	88030 Pag. 2.7	85040 Pag. 2.7	85111 Pag. 2.7	85116 Pag. 2.7	85130 Pag. 2.8
								
85140 Pag. 2.8	85150 Pag. 2.8	85160 Pag. 2.8	85170 Pag. 2.9	85180 Pag. 2.9	85211 Pag. 2.9	85216 Pag. 2.9	85223 Pag. 2.10	85226 Pag. 2.10
								
85230 Pag. 2.10	85240 Pag. 2.10	85310 Pag. 2.11	85320 Pag. 2.11	85325 Pag. 2.11	85330 Pag. 2.11	85340 Pag. 2.12	85350 Pag. 2.12	85360 Pag. 1.12
								
85500 Pag. 2.13	85510 Pag. 2.13	85520 Pag. 2.14	55410 Pag. 2.14	55420 Pag. 2.14	55430 Pag. 2.14	82241 Pag. 2.15	88610 Pag. 2.15	85620 Pag. 2.15
								
55625 Pag. 2.16	85700 Pag. 2.16	85705 Pag. 2.16	87800 Pag. 2.17	55801 Pag. 2.17	55802 Pag. 2.17	50980 Pag. 2.18	50990 Pag. 2.18	50006 Pag. 2.18

TECHNOPOLYMER PUSH-TO-CONNECT FITTINGS



85 Series



TECHNICAL CHARACTERISTICS



Standard Reference


1907/2006
REACH✓

2011/65/CE
RoHS✓

PED
2014/68/UE

ISO
14743:2020

SILICON
FREE



Component Parts and Materials

- 1 Nickel-plated brass Body
- 2 Acetalic resin Collet
- 3 Nickel-plated brass Capsule
- 4 Steel AISI 301 Clamping washer
- 5 Technopolymeric positioning ring
- 6 NBR Molded seal
- 7 NBR Thread packing
- 8 Base Threaded Nickel Plated Brass
- 9 Technopolymeric Body PA
- 10 NBR seal



Pressure Rating

Vacuum ~ 290 PSI
-0.99 bar ~ 20 bar
-0.099 MPa ~ 2.0 MPa



Temperatures Rating

NBR -4° F ~ 176° F
-20° C ~ 80° C



Media

- Compressed Air
- Vacuum
- Water



Tubing Compatibility

Nylon 6 - 11 -12
Polyethylene
Polyurethane ("98 Shore A for best result)
PTFE
FEP



One fitting... Endless possibilities

NPT
NPTF
TAPERED

ISO 7
BSPP
PARALLELL

ISO 7
BSPT - PT
TAPERED

ISO 228
BSP - PF
PARALLELL



INCLINED

CONCAVE

CONVEX

Torque Specifications

Recommended Torque		
Thread Size	Min.	Max.
1/8	5 Nm	7 Nm
1/4	5 Nm	7 Nm
3/8	5 Nm	7 Nm
1/2	5 Nm	7 Nm

All SWIFTFIT fittings have been equipped with threads and an NBR thread seal that will universally connect to all thread types.
Our SWIFTFIT universal fittings also work on non-flat surfaces without compromising its air-tight seal.



UNF Threads

Standard USA design

Designed for use in UNF connections with an integrated NBR o-ring that provides a perfect seal




Torque Specifications

Recommended Torque		
Thread Size	Min.	Breaking torque
10/32	0.8 Nm	3.2 Nm



Advantages




Advantages

- 1 The washer is made in stainless steel ensures the perfect tube clamping with every Kinds of materials without damage the surface. The connection between the tube and the fitting ensure a total tightness even in severe conditions such as impact and vibrations.
- 2 The particular geometric shape of the seal ensure the perfect tightness even with vacuum.
- 3 All of threads from this range have been equipped with tightening parts which allow the direct assembly of the fittings, reducing the installation time.
- 4 All the straight fittings can be assembled also with Allen wrench and it is possible to use them in reduced spaces.
- 5 Orienting fitting with safety ring Inside. Improved durability to the rotation and traction.


87000

STRAIGHT MALE



* For part numbers with 10-32 threads
88020


UNF



Code	Usa Ref	Tube	A	B	C	L	CH1	CH2	Pack
*88020 00 001	*88020-02-32	1/8	10/32	.157 (4)	.310 (8)	.787 (18)	.315 (8)	.079 (2)	10
87000 00 001	87000-02-02	1/8	1/8	.217 (5,5)	-	.650 (16,5)	.433 (11)	.079 (2)	10
87000 00 002	87000-02-04	1/8	1/4	.276 (7)	-	.728 (18,5)	.551 (14)	.079 (2)	10
*88020 00 002	*88020-53-32	5/32 (4)	10/32	.157 (4)	.310 (8)	.827 (21)	.394 (10)	.079 (2)	10
87000 00 003	87000-53-02	5/32 (4)	1/8	.217 (5)	-	.708 (18)	.433 (11)	.118 (3)	10
87000 00 004	87000-53-04	5/32 (4)	1/4	.276 (7)	-	.767 (19,5)	.551 (14)	.118 (3)	10
*88020 00 003	*88020-04-32	1/4	10/32	.157 (4)	.390 (10)	.925 (23,5)	.512 (13)	.079 (2)	10
87000 00 005	87000-04-02	1/4	1/8	.217 (5)	-	.866 (22)	.512 (13)	.157 (4)	10
87000 00 006	87000-04-04	1/4	1/4	.276 (7)	-	.826 (21)	.551 (14)	.157 (4)	10
87000 00 007	87000-04-06	1/4	3/8	.295 (7,5)	-	.826 (21)	.669 (17)	.157 (4)	10
87000 00 008	87000-05-02	5/16 (8)	1/8	.217 (5)	-	.964 (24,5)	.551 (14)	.197 (5)	10
87000 00 009	87000-05-04	5/16 (8)	1/4	.276 (7)	-	.866 (22)	.551 (14)	.236 (6)	10
87000 00 010	87000-05-06	5/16 (8)	3/8	.295 (7,5)	-	.905 (23)	.669 (17)	.236 (6)	10
87000 00 011	87000-06-02	3/8	1/8	.217 (5)	-	1.122 (28,5)	.669 (17)	.197 (5)	10
87000 00 012	87000-06-04	3/8	1/4	.276 (7)	-	1.122 (28,5)	.669 (17)	.276 (6)	10
87000 00 013	87000-06-06	3/8	3/8	.295 (7,5)	-	1.043 (26,5)	.669 (17)	.276 (6)	10
87000 00 014	87000-06-08	3/8	1/2	.354 (9)	-	1.043 (26,5)	.827 (21)	.276 (6)	10
87000 00 018	87000-08-02	1/2	1/8	.217 (5)	-	1.299 (33)	.787 (20)	.197 (5)	10
87000 00 015	87000-08-04	1/2	1/4	.276 (7)	-	1.299 (33)	.787 (20)	.197 (5)	10
87000 00 016	87000-08-06	1/2	3/8	.295 (7,5)	-	1.259 (32)	.787 (20)	.354 (9)	10
87000 00 017	87000-08-08	1/2	1/2	.354 (9)	-	1.259 (32)	.827 (21)	.394 (10)	10


87010

STRAIGHT MALE WITH INTERNAL HEX



* For part numbers with 10-32 threads

UNF




Code	Usa Ref	Tube	A	B	C	L	CH	Pack
*87010 00 001	*87010-02-32	1/8	10/32	.157 (4)	.315 (8)	.709 (18)	.098 (2,5)	10
*87010 00 002	*87010-53-32	5/32 (4)	10/32	.157 (4)	.394 (10)	.787 (20)	.098 (2,5)	10
87010 00 003	87010-53-02	5/32 (4)	1/8	.217 (5)	.374 (9,5)	.709 (18)	.118 (3)	10
*87010 00 004	*87010-04-32	1/4	10/32	.157 (4)	.473 (12)	.925 (23,5)	.098 (2,5)	10
87010 00 005	87010-04-02	1/4	1/8	.217 (5)	.473 (12)	.846 (21,5)	.157 (4)	10
87010 00 006	87010-04-04	1/4	1/4	.276 (7)	.551 (14)	.846 (21,5)	.157 (4)	10

88030

STRAIGHT FEMALE


NPTF



Code	Usa Ref	Tube	A	B	L	CH	Pack
88030 00 001	88030-02-02	1/8	1/8	.374 (9,5)	.945 (24)	.512 (13)	10
88030 00 002	88030-02-04	1/8	1/4	.531 (13,5)	1.142 (29)	.630 (16)	10
88030 00 003	88030-53-02	5/32 (4)	1/8	.374 (9,5)	.984 (25)	.512 (13)	10
88030 00 004	88030-53-04	5/32 (4)	1/4	.531 (13,5)	1.181 (30)	.630 (16)	10
88030 00 005	88030-04-02	1/4	1/8	.374 (9,5)	1.082 (27,5)	.512 (13)	10
88030 00 006	88030-04-04	1/4	1/4	.512 (13)	1.279 (32,5)	.630 (16)	10
88030 00 007	88030-06-04	3/8	1/4	.531 (13,5)	1.397 (35,5)	.709 (18)	10
88030 00 008	88030-06-06	3/8	3/8	.531 (13,5)	1.397 (35,5)	.787 (20)	10

85040

UNION




Code	Usa Ref	Tube	Tube	L	D1	D2	Pack
85040 00 001	85040-02-02	1/8	1/8	1.142 (29)	.394 (10)	.394 (10)	10
85040 00 002	85040-53-53	5/32 (4)	5/32 (4)	1.220 (31)	.394 (10)	.394 (10)	10
85040 00 004	85040-04-53	1/4	5/32 (4)	1.358 (34,5)	.492 (12,5)	.472 (12)	10
85040 00 005	85040-04-04	1/4	1/4	1.377 (35)	.492 (12,5)	.492 (12,5)	10
85040 00 014	85040-05-53	5/16 (8)	5/32 (4)	1.398 (35,5)	.551 (14)	.394 (10)	10
85040 00 006	85040-05-04	5/16 (8)	1/4	1.496 (38)	.551 (14)	.551 (14)	10
85040 00 007	85040-05-05	5/16 (8)	5/16 (8)	1.496 (38)	.551 (14)	.551 (14)	10
85040 00 008	85040-06-04	3/8	1/4	1.634 (41,5)	.669 (17)	.492 (12,5)	10
85040 00 009	85040-06-05	3/8	5/16 (8)	1.752 (44,5)	.669 (17)	.669 (17)	10
85040 00 010	85040-06-06	3/8	3/8	1.771 (45)	.669 (17)	.669 (17)	10
85040 00 013	85040-08-05	1/2	5/16 (8)	1.771 (45)	.787 (20)	.551 (14)	10
85040 00 011	85040-08-06	1/2	3/8	1.949 (49,5)	.787 (20)	.787 (20)	10
85040 00 012	85040-08-08	1/2	1/2	1.988 (50,5)	.787 (20)	.787 (20)	10

85111

Swivel Elbow


SWIFTFIT
Universal Thread



Code	Usa Ref	Tube	A	B	L1	L2	CH1	CH2	D	Pack
85111 00 001	85111-02-02	1/8	1/8	.216 (5,5)	.610 (15)	.649 (15,5)	.275 (7)	.511 (13)	.393 (10)	10
85111 00 002	85111-02-04	1/8	1/4	.275 (7)	.610 (15)	.708 (18)	.275 (7)	.591 (15)	.393 (10)	10
*85116 00 001	*85116-53-32	5/32 (4)	10/32	.157 (4)	.649 (16,5)	.567 (14,5)	.275 (7)	.354 (9)	.393 (10)	10
85111 00 003	85111-53-02	5/32 (4)	1/8	.216 (5,5)	.649 (16,5)	.649 (15,5)	.275 (7)	.511 (13)	.393 (10)	10
85111 00 004	85111-53-04	5/32 (4)	1/4	.275 (7)	.649 (16,5)	.708 (18)	.275 (7)	.591 (15)	.393 (10)	10
*85116 00 002	*85116-04-32	1/4	10/32	.157 (4)	.807 (20,5)	.610 (15,5)	.354 (9)	.354 (9)	.492 (12,5)	10
85111 00 006	85111-04-02	1/4	1/8	.216 (5,5)	.807 (20,5)	.688 (17,5)	.354 (9)	.511 (13)	.492 (12,5)	10
85111 00 007	85111-04-04	1/4	1/4	.275 (7)	.807 (20,5)	.748 (19)	.354 (9)	.591 (15)	.492 (12,5)	10
85111 00 008	85111-04-06	1/4	3/8	.295 (7,5)	.807 (20,5)	.787 (20)	.354 (9)	.669 (17)	.492 (12,5)	10
85111 00 009	85111-04-08	1/4	1/2	.354 (9)	.807 (20,5)	.866 (22)	.354 (9)	.826 (21)	.492 (12,5)	10
85111 00 010	85111-05-02	5/16 (8)	1/8	.216 (5,5)	.866 (22)	.728 (18,5)	.394 (10)	.511 (13)	.551 (14)	10
85111 00 011	85111-05-04	5/16 (8)	1/4	.275 (7)	.866 (22)	.787 (20)	.394 (10)	.591 (15)	.551 (14)	10
85111 00 012	85111-05-06	5/16 (8)	3/8	.295 (7,5)	.866 (22)	.807 (20,5)	.394 (10)	.669 (17)	.551 (14)	10
85111 00 013	85111-05-08	5/16 (8)	1/2	.354 (9)	.866 (22)	.905 (23)	.394 (10)	.826 (21)	.551 (14)	10
85111 00 014	85111-06-04	3/8	1/4	.275 (7)	1.043 (26,5)	.866 (22)	.551 (13)	.629 (16)	.669 (17)	10
85111 00 015	85111-06-06	3/8	3/8	.295 (7,5)	1.043 (26,5)	.866 (22)	.551 (13)	.669 (17)	.669 (17)	10
85111 00 016	85111-06-08	3/8	1/2	.354 (9)	1.043 (26,5)	.964 (24,5)	.551 (13)	.826 (21)	.669 (17)	10
85111 00 017	85111-08-04	1/2	1/4	.275 (7)	1.181 (30)	.905 (23)	.629 (16)	.629 (16)	.787 (20)	10
85111 00 018	85111-08-06	1/2	3/8	.295 (7,5)	1.181 (30)	.905 (23)	.629 (16)	.669 (17)	.787 (20)	10
85111 00 019	85111-08-08	1/2	1/2	.354 (9)	1.181 (30)	1.003 (25,5)	.629 (16)	.826 (21)	.787 (20)	10


* For part numbers with 10-32 threads
85116

UNF



85130


Union Elbow



Code	Usa Ref	Tube	Tube	L	CH	D	Pack
85130 00 001	85130-02-02	1/8	1/8	.610 (15,5)	.393 (10)	.354 (9)	10
85130 00 002	85130-53-53	5/32 (4)	5/32 (4)	.649 (16,5)	.393 (10)	.354 (9)	10
85130 00 004	85130-04-04	1/4	1/4	.807 (20,5)	.492 (12,5)	.433 (11)	10
85130 00 009	85130-05-04	5/16 (8)	1/4	.886 (22,5)	.551 (14)	.511 (13)	10
85130 00 005	85130-05-05	5/16 (8)	5/16 (8)	.866 (22)	.551 (14)	.511 (13)	10
85130 00 012	85130-06-04	3/8	1/4	1.023 (26)	.669 (17)	.629 (16)	10
85130 00 010	85130-06-05	3/8	5/16 (8)	1.023 (26)	.669 (17)	.629 (16)	10
85130 00 006	85130-06-06	3/8	3/8	1.043 (26,5)	.669 (17)	.629 (16)	10
85130 00 011	85130-08-06	1/2	3/8	1.200 (30,5)	.787 (20)	.748 (19)	10
85130 00 007	85130-08-08	1/2	1/2	1.200 (30,5)	.787 (20)	.748 (19)	10

85140


Elbow Plug In



Code	Usa Ref	Tube	A	B	L1	L2	CH1	D	Pack
85140 00 001	85140-53-53	5/32 (4)	5/32 (4)	.669 (17)	.650 (16,5)	.819 (20,8)	.276 (7)	.394 (10)	10
85140 00 002	85140-53-04	5/32 (4)	1/4	.748 (19)	.650 (16,5)	.913 (23)	.276 (7)	.394 (10)	10
85140 00 006	85140-04-53	1/4	5/32 (4)	.669 (17)	.807 (20,5)	.846 (21,5)	.354 (9)	.492 (12,5)	10
85140 00 005	85140-04-04	1/4	1/4	.748 (19)	.807 (20,5)	.933 (23,5)	.354 (9)	.492 (12,5)	10
85140 00 012	85140-04-05	1/4	5/16 (8)	.787 (20)	.886 (22,5)	1.024 (26)	.394 (10)	.551 (14)	10
85140 00 007	85140-05-05	5/16 (8)	5/16 (8)	.787 (20)	.866 (22)	1.024 (26)	.394 (10)	.551 (14)	10
85140 00 008	85140-05-06	5/16 (8)	3/8	.866 (22)	.866 (22)	1.083 (27,5)	.394 (10)	.551 (14)	10
85140 00 009	85140-06-06	3/8	3/8	.886 (22,5)	1.043 (26,5)	1.181 (30)	.512 (13)	.669 (17)	10
85140 00 010	85140-06-08	3/8	1/2	.964 (24,5)	1.043 (26,5)	1.260 (32)	.512 (13)	.669 (17)	10
85140 00 011	85140-08-08	1/2	1/2	1.004 (25,5)	1.181 (30)	1.319 (33,5)	.630 (16)	.787 (20)	10

85150


Elbow Plug In



Code	Usa Ref	Tube	A	B	L1	L2	CH1	D	Pack
85150 00 001	85150-53-53	5/32 (4)	5/32 (4)	1.102 (28)	.650 (16,5)	1.252 (31,8)	.276 (7)	.394 (10)	10
85150 00 002	85150-53-04	5/32 (4)	1/4	1.200 (30,5)	.650 (16,5)	1.359 (34,5)	.276 (7)	.394 (10)	10
85150 00 006	85150-04-53	1/4	5/32 (4)	1.181 (30)	.807 (20,5)	1.359 (34,5)	.354 (9)	.492 (12,5)	10
85150 00 005	85150-04-04	1/4	1/4	1.272 (32,3)	.807 (20,5)	1.457 (37)	.354 (9)	.492 (12,5)	10
85150 00 007	85150-05-05	5/16 (8)	5/16 (8)	1.417 (36)	.866 (22)	1.654 (42)	.394 (10)	.551 (14)	10
85150 00 008	85150-05-06	5/16 (8)	3/8	1.477 (37,5)	.866 (22)	1.694 (43)	.394 (10)	.551 (14)	10
85150 00 009	85150-06-06	3/8	3/8	1.606 (40,8)	1.043 (26,5)	1.902 (48,3)	.512 (13)	.669 (17)	10
85150 00 010	85150-06-08	3/8	1/2	1.692 (43)	1.043 (26,5)	1.988 (50,5)	.512 (13)	.669 (17)	10
85150 00 011	85150-08-08	1/2	1/2	1.850 (47)	1.220 (31)	2.165 (55)	.630 (16)	.787 (20)	10

85160


45° ELBOW PLUG IN



Code	Usa Ref	Tube	A	B	L1	L2	CH	D	Pack
85160 00 002	85160-53	5/32 (4)	5/32 (4)	.669 (17)	.492 (12,5)	.827 (21)	.276 (7)	.394 (10)	10
85160 00 004	85160-04	1/4	1/4	.748 (19)	.807 (20,5)	.925 (23,5)	.354 (9)	.472 (12)	10
85160 00 005	85160-05	5/16 (8)	5/16 (8)	.787 (20)	.866 (22)	.984 (25)	.394 (10)	.551 (14)	10
85160 00 006	85160-06	3/8	3/8	.886 (22,5)	1.043 (26,5)	1.181 (30)	.512 (13)	.669 (17)	10
85160 00 007	85160-08	1/2	1/2	1.004 (25,5)	1.181 (30)	1.319 (33,5)	.630 (16)	.787 (20)	10

85170


45° Swivel Elbow



Code	Usa Ref	Tube	A	B	L1	L2	CH1	CH2	D	Pack
85170 00 001	85170-53-02	5/32 (4)	1/8	.217 (5,5)	.492 (12,5)	.650 (16,5)	.276 (7)	.512 (13)	.394 (10)	10
85170 00 006	85170-04-02	1/4	1/8	.217 (5,5)	.807 (20,5)	.689 (17,5)	.354 (9)	.512 (13)	.472 (12)	10
85170 00 007	85170-04-04	1/4	1/4	.276 (7)	.807 (20,5)	.744 (18,9)	.354 (9)	.591 (15)	.472 (12)	10
85170 00 008	85170-05-02	5/16 (8)	1/8	.217 (5,5)	.866 (22)	.728 (18,5)	.394 (10)	.512 (13)	.551 (14)	10
85170 00 009	85170-05-04	5/16 (8)	1/4	.276 (7)	.866 (22)	.787 (20)	.394 (10)	.591 (15)	.551 (14)	10
85170 00 010	85170-05-06	5/16 (8)	3/8	.295 (7,5)	.866 (22)	.807 (20,5)	.394 (10)	.669 (17)	.551 (14)	10
85170 00 014	85170-06-04	3/8	1/4	.276 (7)	1.043 (26,5)	.858 (21,8)	.512 (13)	.630 (16)	.669 (17)	10
85170 00 015	85170-06-06	3/8	3/8	.295 (7,5)	1.043 (26,5)	.858 (21,8)	.512 (13)	.669 (17)	.669 (17)	10
85170 00 016	85170-06-08	3/8	1/2	.354 (9)	1.043 (26,5)	.964 (24,5)	.512 (13)	.827 (21)	.669 (17)	10
85170 00 017	85170-08-04	1/2	1/4	.276 (7)	1.181 (30)	.909 (23,1)	.630 (16)	.630 (16)	.787 (20)	10
85170 00 018	85170-08-06	1/2	3/8	.295 (7,5)	1.181 (30)	.909 (23,1)	.630 (16)	.669 (17)	.787 (20)	10
85170 00 019	85170-08-08	1/2	1/2	.354 (9)	1.181 (30)	1.003 (25,5)	.630 (16)	.827 (21)	.787 (20)	10

85180


45° UNION



Code	Usa Ref	Tube	L	CH	D	Pack
85180 00 002	85180-53	5/32 (4)	.650 (16,5)	.276 (7)	.394 (10)	10
85180 00 004	85180-04	1/4	.807 (20,5)	.354 (9)	.472 (12)	10
85180 00 005	85180-05	5/16 (8)	.866 (22)	.394 (10)	.551 (14)	10
85180 00 006	85180-06	3/8	1.043 (26,5)	.512 (13)	.669 (17)	10
85180 00 007	85180-08	1/2	1.181 (30)	.630 (16)	.787 (20)	10


85211

Swivel Branch Tee



* For part numbers with 10-32 threads
85216


UNF



Code	Usa Ref	Tube	A	B	L1	L2	CH1	CH2	D	Pack
85211 00 001	85211-02-02	1/8	1/8	.216 (5,5)	1.200 (30,5)	.728 (18,5)	.275 (7)	.511 (13)	.393 (10)	10
85211 00 002	85211-02-04	1/8	1/4	.275 (7)	1.200 (30,5)	.787 (20)	.275 (7)	.590 (15)	.393 (10)	10
*85216 00 001	*85216-53-32	5/32 (4)	10/32	.157 (4)	1.200 (30,5)	.629 (16)	.275 (7)	.354 (9)	.393 (10)	10
85211 00 003	85211-53-02	5/32 (4)	1/8	.216 (5,5)	1.299 (33)	.728 (18,5)	.275 (7)	.511 (13)	.393 (10)	10
85211 00 004	85211-53-04	5/32 (4)	1/4	.275 (7)	1.299 (33)	.787 (20)	.275 (7)	.590 (15)	.393 (10)	10
*85216 00 002	*85216-04-32	1/4	10/32	.157 (4)	1.614 (41)	.610 (15,5)	.354 (9)	.354 (9)	.492 (12,5)	10
85211 00 006	85211-04-02	1/4	1/8	.216 (5,5)	1.614 (41)	.787 (20)	.354 (9)	.511 (13)	.492 (12,5)	10
85211 00 007	85211-04-04	1/4	1/4	.275 (7)	1.614 (41)	.846 (21,5)	.354 (9)	.590 (15)	.492 (12,5)	10
85211 00 008	85211-05-02	5/16 (8)	1/8	.216 (5,5)	1.732 (44)	.826 (21)	.394 (10)	.511 (13)	.551 (14)	10
85211 00 009	85211-05-04	5/16 (8)	1/4	.275 (7)	1.732 (44)	.885 (22,5)	.394 (10)	.590 (15)	.551 (14)	10
85211 00 010	85211-05-06	5/16 (8)	3/8	.295 (7,5)	1.732 (44)	.905 (23)	.394 (10)	.669 (17)	.551 (14)	10
85211 00 011	85211-06-04	3/8	1/4	.275 (7)	2.086 (53)	1.004 (25,5)	.551 (13)	.629 (16)	.669 (17)	10
85211 00 012	85211-06-06	3/8	3/8	.295 (7,5)	2.086 (53)	1.004 (25,5)	.551 (13)	.669 (17)	.669 (17)	10
85211 00 013	85211-06-08	3/8	1/2	.354 (9)	2.086 (53)	1.102 (28)	.551 (13)	.826 (21)	.669 (17)	10
85211 00 014	85211-08-04	1/2	1/4	.275 (7)	2.362 (60)	1.062 (27)	.629 (16)	.629 (16)	.787 (20)	10
85211 00 015	85211-08-06	1/2	3/8	.295 (7,5)	2.362 (60)	1.062 (27)	.629 (16)	.669 (17)	.787 (20)	10
85211 00 016	85211-08-08	1/2	1/2	.354 (9)	2.362 (60)	1.161 (29,5)	.629 (16)	.826 (21)	.787 (20)	10


85223

Swivel Run Tee



* For part numbers with 10-32 threads
85226


UNF



Code	Usa Ref	Tube	A	B	L1	L2	CH1	CH2	D	Pack
85211 00 001	85223-02-02	1/8	1/8	.216 (5,5)	.610 (15)	.708 (18)	.275 (7)	.511 (13)	.393 (10)	10
85211 00 002	85223-02-04	1/8	1/4	.275 (7)	.610 (15)	.767 (19,5)	.275 (7)	.590 (15)	.393 (10)	10
*85216 00 001	*85226-53-32	5/32 (4)	10/32	.157 (4)	.649 (16,5)	.629 (16)	.275 (7)	.354 (9)	.393 (10)	10
85211 00 003	85223-53-02	5/32 (4)	1/8	.216 (5,5)	.649 (16,5)	.708 (18)	.275 (7)	.511 (13)	.393 (10)	10
85211 00 004	85223-53-04	5/32 (4)	1/4	.275 (7)	.649 (16,5)	.767 (19,5)	.275 (7)	.590 (15)	.393 (10)	10
*85216 00 002	*85226-04-32	1/4	10/32	.157 (4)	.807 (20,5)	.570 (14,5)	.354 (9)	.354 (9)	.492 (12,5)	10
85211 00 006	85223-04-02	1/4	1/8	.216 (5,5)	.807 (20,5)	.688 (17,5)	.354 (9)	.511 (13)	.492 (12,5)	10
85211 00 007	85223-04-04	1/4	1/4	.275 (7)	.807 (20,5)	.748 (19)	.354 (9)	.590 (15)	.492 (12,5)	10
85211 00 008	85223-05-02	5/16 (8)	1/8	.216 (5,5)	.866 (22)	.748 (19)	.394 (10)	.511 (13)	.551 (14)	10
85211 00 009	85223-05-04	5/16 (8)	1/4	.275 (7)	.866 (22)	.807 (20,5)	.394 (10)	.590 (15)	.551 (14)	10
85211 00 010	85223-05-06	5/16 (8)	3/8	.295 (7,5)	.866 (22)	.826 (21)	.394 (10)	.669 (17)	.551 (14)	10
85211 00 011	85223-06-04	3/8	1/4	.275 (7)	1.043 (26,5)	.866 (22)	.551 (13)	.629 (16)	.669 (17)	10
85211 00 012	85223-06-06	3/8	3/8	.295 (7,5)	1.043 (26,5)	.866 (22)	.551 (13)	.669 (17)	.669 (17)	10
85211 00 013	85223-06-08	3/8	1/2	.354 (9)	1.043 (26,5)	.964 (24,5)	.551 (13)	.826 (21)	.669 (17)	10
85211 00 014	85223-08-04	1/2	1/4	.275 (7)	1.220 (31)	.905 (23)	.629 (16)	.629 (16)	.787 (20)	10
85211 00 015	85223-08-06	1/2	3/8	.295 (7,5)	1.220 (31)	.905 (23)	.629 (16)	.669 (17)	.787 (20)	10
85211 00 016	85223-08-08	1/2	1/2	.354 (9)	1.220 (31)	1.003 (25,5)	.629 (16)	.826 (21)	.787 (20)	10

85230


union TEE



Code	Usa Ref	Tube	L1	L2	CH	D	D1	D2	Pack
85230 00 001	85230-02	1/8	1.220 (31)	.610 (15,5)	.354 (9)	.394 (10)	.118 (3)	.118 (3)	10
85230 00 002	85230-53	5/32 (4)	1.300 (33)	.650 (16,5)	.354 (9)	.394 (10)	.157 (4)	.157 (4)	10
85230 00 019	85230-53-04-53	5/32 (4)-1/4-5/32 (4)	1.574 (40)	.807 (20,5)	.433 (11)	.492 (12,5)	.236 (6)	.157 (4)	10
85230 00 009	85230-04-53-04	1/4-5/32 (4)-1/4	1.614 (41)	.787 (20)	.433 (11)	.492 (12,5)	.157 (4)	.236 (6)	10
85230 00 004	85230-04	1/4	1.614 (41)	.807 (20,5)	.433 (11)	.492 (12,5)	.236 (6)	.236 (6)	10
85230 00 010	85230-05-04-05	5/16 (8)-1/4-5/16 (8)	1.763 (45)	.886 (22,5)	.512 (13)	.551 (14)	.236 (6)	.314 (8)	10
85230 00 005	85230-05	5/16 (8)	1.723 (44)	.866 (22)	.512 (13)	.551 (14)	.314 (8)	.314 (8)	10
85230 00 015	85230-05-06-05	5/16 (8)-3/8-5/16 (8)	2.047 (52)	1.043 (26,5)	.630 (16)	.669 (17)	.394 (10)	.314 (8)	10
85230 00 011	85230-06-05-06	3/8-5/16 (8)-3/8	2.087 (53)	1.024 (26)	.630 (16)	.669 (17)	.314 (8)	.394 (10)	10
85230 00 006	85230-06	3/8	2.087 (53)	1.044 (26,5)	.630 (16)	.669 (17)	.394 (10)	.394 (10)	10
85230 00 017	85230-06-08-06	3/8-1/2-3/8	2.343 (59,5)	1.200 (30,5)	.748 (19)	.787 (20)	.472 (12)	.394 (10)	10
85230 00 012	85230-08-06-08	1/2-3/8-1/2	2.422 (61,5)	1.181 (30)	.748 (19)	.787 (20)	.394 (10)	.472 (12)	10
85230 00 007	85230-08	1/2	2.422 (61,5)	1.181 (30)	.748 (19)	.787 (20)	.472 (12)	.472 (12)	10

85240


Tee Plug In



Code	Usa Ref	Tube	A	B	L1	L2	CH	D	Pack
85240 00 001	85240-53	5/32 (4)	5/32 (4)	.669 (17)	1.299 (33)	.815 (20,7)	.276 (7)	.394 (10)	10
85240 00 002	85240-53-04	5/32 (4)	1/4	.748 (19)	1.299 (33)	.886 (22,5)	.276 (7)	.394 (10)	10
85240 00 006	85240-04-53	1/4	5/32 (4)	.669 (17)	1.614 (41)	.854 (21,7)	.354 (9)	.492 (12,5)	10
85240 00 005	85240-04	1/4	1/4	.748 (19)	1.614 (41)	.933 (23,7)	.354 (9)	.492 (12,5)	10
85240 00 007	85240-05	5/16 (8)	5/16 (8)	.787 (20)	1.732 (44)	1.024 (26)	.394 (10)	.551 (14)	10
85240 00 008	85240-05-06	5/16 (8)	3/8	.874 (22,2)	1.732 (44)	1.102 (28)	.394 (10)	.551 (14)	10
85240 00 009	85240-06	3/8	3/8	.886 (22,5)	2.087 (53)	1.181 (30)	.512 (13)	.669 (17)	10
85240 00 010	85240-06-08	3/8	1/2	.983 (25)	2.087 (53)	1.268 (32,2)	.512 (13)	.669 (17)	10
85240 00 011	85240-08	1/2	1/2	1.003 (25,5)	2.422 (61,5)	1.319 (33,5)	.629 (16)	.787 (20)	10

85310


union Y



Code	Usa Ref	Tube	Tube	A	L	CH	D	Pack
85310 00 002	85310-53	5/32 (4)	5/32 (4)	.433 (11)	1.240 (31,5)	.393 (10)	.393 (10)	10
85310 00 008	85310-04-53	1/4	5/32 (4)	.532 (13,5)	1.437 (36,5)	.472 (12)	.492 (12,5)	10
85310 00 004	85310-04	1/4	1/4	.531 (13,5)	1.456 (37)	.472 (12)	.492 (12,5)	10
85310 00 009	85310-05-04	5/16 (8)	1/4	.610 (15,5)	1.614 (41)	.551 (14)	.551 (14)	10
85310 00 005	85310-05	5/16 (8)	5/16 (8)	.610 (15,5)	1.574 (40)	.551 (14)	.551 (14)	10
85310 00 006	85310-06	3/8	3/8	.748 (19)	1.909 (48,5)	.669 (17)	.708 (18)	10
85310 00 011	85310-08-05	1/2	5/16 (8)	.866 (22)	2.263 (57,5)	.787 (20)	.787 (20)	10
85310 00 007	85310-08	1/2	1/2	.866 (22)	2.322 (59)	.787 (20)	.787 (20)	10


85320

Union Y



* For part numbers with 10-32 threads
85325


UNF



Code	Usa Ref	Tube	A	B	C	L	CH1	CH2	Pack
*85325 00 001	*85325-53-32	5/32 (4)	10/32	.157 (4)	.433 (11)	1.437 (36,5)	.393 (10)	.393 (10)	10
85320 00 001	85320-53-02	5/32 (4)	1/8	.216 (5,5)	.433 (11)	1.496 (38)	.393 (10)	.433 (11)	10
85320 00 002	85325-53-04	5/32 (4)	1/4	.275 (7)	.433 (11)	1.594 (40,5)	.393 (10)	.551 (14)	10
*85325 00 002	*85320-04-32	1/4	10/32	.157 (4)	.531 (13,5)	1.633 (41,5)	.472 (12)	.393 (10)	10
85320 00 003	85320-04-02	1/4	1/8	.216 (5,5)	.531 (13,5)	1.692 (43)	.472 (12)	.433 (11)	10
85320 00 004	85320-04-04	1/4	1/4	.275 (7)	.531 (13,5)	1.791 (45,5)	.472 (12)	.551 (14)	10
85320 00 005	85320-05-02	5/16 (8)	1/8	.216 (5,5)	.610 (15,5)	1.850 (47)	.551 (14)	.433 (11)	10
85320 00 006	85320-05-04	5/16 (8)	1/4	.275 (7)	.610 (15,5)	1.929 (49)	.551 (14)	.551 (14)	10
85320 00 007	85320-05-06	5/16 (8)	3/8	.295 (7,5)	.610 (15,5)	1.948 (49,5)	.551 (14)	.669 (17)	10
85320 00 008	85320-06-04	3/8	1/4	.275 (7)	.748 (19)	2.224 (56,5)	.669 (17)	.551 (14)	10
85320 00 009	85320-06-06	3/8	3/8	.295 (7,5)	.748 (19)	2.263 (57,5)	.669 (17)	.669 (17)	10
85320 00 010	85320-06-08	3/8	1/2	.354 (9)	.748 (19)	2.362 (60)	.669 (17)	.826 (21)	10
85320 00 011	85320-08-06	1/2	3/8	.295 (7,5)	.866 (22)	2.618 (66,5)	.787 (20)	.669 (17)	10
85320 00 012	85320-08-08	1/2	1/2	.354 (9)	.866 (22)	2.677 (68)	.787 (20)	.826 (21)	10

85330


4 Position Y



Code	Usa Ref	D1	D2	C	L	F	H	Pack
85330 00 002	85330-53	5/32 (4)	5/32 (4)	.433 (11)	1.319 (33,5)	.130 (3,3)	.846 (21,5)	10
85330 00 001	85330-53-04	5/32 (4)	1/4	.433 (11)	1.359 (34,5)	.130 (3,3)	.846 (21,5)	10
85330 00 003	85330-04	1/4	1/4	.531 (13,5)	1.555 (39,5)	.130 (3,3)	1.055 (26,8)	10
85330 00 004	85330-04-05	1/4	5/16 (8)	.531 (13,5)	1.575 (40)	.130 (3,3)	1.055 (26,8)	10

85340


4 Position Y



Code	Usa Ref	Tube	A	B	C	L	H	CH	F	Pack
85340 00 001	85340-53-02	5/32 (4)	1/8	.217 (5,5)	.433 (11)	1.555 (39,5)	.846 (21,5)	.433 (11)	.130 (3,3)	10
85340 00 002	85340-53-04	5/32 (4)	1/4	.276 (7)	.433 (11)	1.654 (42)	.846 (21,5)	.551 (14)	.130 (3,3)	10
85340 00 003	85340-04-02	1/4	1/8	.217 (5,5)	.531 (13,5)	1.831 (46,5)	1.055 (26,8)	.433 (11)	.130 (3,3)	10
85340 00 004	85340-04-04	1/4	1/4	.276 (7)	.531 (13,5)	1.889 (48)	1.055 (26,8)	.551 (14)	.130 (3,3)	10

85350


REDUCTION MANIFOLD



Code	Usa Ref	Tube	A	B	L1	L2	C	D1	D2	E	Pack
85350 00 002	85350-04-53	1/4-5/32(4)	.531 (13,5)	.236 (6)	2.913 (74)	.866 (22)	.531 (13,5)	.551 (14)	.472 (12)	.130 (3,3)	10
85350 00 001	85350-05-53	5/16(8)-5/32(4)	.531 (13,5)	.236 (6)	2.873 (73)	.866 (22)	.531 (13,5)	.551 (14)	.472 (12)	.130 (3,3)	10
85350 00 003	85350-05-04	5/16(8)-1/4	.531 (13,5)	.236 (6)	2.873 (73)	.886 (22,5)	.531 (13,5)	.551 (14)	.492 (12,5)	.130 (3,3)	10
85350 00 004	85350-06-04	3/8-1/4	.591 (15)	.276 (7)	3.267 (83)	.946 (24)	.590 (15)	.669 (17)	.551 (14)	.130 (3,3)	10
85350 00 005	85350-06-05	3/8-5/16(8)	.591 (15)	.276 (7)	3.267 (83)	.906 (23)	.590 (15)	.669 (17)	.551 (14)	.130 (3,3)	10

85360

Reduction Manifold



Code	Usa Ref	Tube	F	A	B	L1	L2	C	D1	D2	E	G	CH	Pack
85360 00 003	85360-04-53-02	1/4-5/32	1/8	.531 (13,5)	.236 (6)	2.757 (70)	.866 (22)	.531 (13,5)	.551 (14)	.471 (12)	.130 (3,3)	.217 (5,5)	.511 (13)	10
85360 00 004	85360-04-53-04	1/4-5/32	1/4	.531 (13,5)	.236 (6)	2.817 (71,5)	.866 (22)	.531 (13,5)	.551 (14)	.471 (12)	.130 (3,3)	.276 (7)	.591 (15)	10
85360 00 001	85360-05-53-02	5/16-5/32	1/8	.531 (13,5)	.236 (6)	2.757 (70)	.866 (22)	.531 (13,5)	.551 (14)	.471 (12)	.130 (3,3)	.217 (5,5)	.511 (13)	10
85360 00 002	85360-05-53-04	5/16-5/32	1/4	.531 (13,5)	.236 (6)	2.817 (71,5)	.866 (22)	.531 (13,5)	.551 (14)	.471 (12)	.130 (3,3)	.276 (7)	.591 (15)	10
85360 00 005	85360-05-04-02	5/16-1/4	1/8	.531 (13,5)	.236 (6)	2.757 (70)	.866 (22)	.531 (13,5)	.551 (14)	.491 (12,5)	.130 (3,3)	.217 (5,5)	.511 (13)	10
85360 00 006	85360-05-04-04	5/16-1/4	1/4	.531 (13,5)	.236 (6)	2.817 (71,5)	.866 (22)	.531 (13,5)	.551 (14)	.491 (12,5)	.130 (3,3)	.276 (7)	.591 (15)	10
85360 00 007	85360-06-04-04	3/8-1/4	1/4	.590 (15)	.276 (7)	3.208 (81,5)	.946 (24)	.590 (15)	.669 (17)	.551 (14)	.130 (3,3)	.276 (7)	.629 (16)	10
85360 00 008	85360-06-04-06	3/8-1/4	3/8	.590 (15)	.276 (7)	3.208 (81,5)	.946 (24)	.590 (15)	.669 (17)	.551 (14)	.130 (3,3)	.296 (7,5)	.669 (17)	10
85360 00 009	85360-06-05-04	3/8-5/16	1/4	.590 (15)	.276 (7)	3.208 (81,5)	.906 (23)	.590 (15)	.669 (17)	.551 (14)	.130 (3,3)	.276 (7)	.629 (16)	10
85360 00 010	85360-06-05-06	3/8-5/16	3/8	.590 (15)	.276 (7)	3.208 (81,5)	.906 (23)	.590 (15)	.669 (17)	.551 (14)	.130 (3,3)	.296 (7,5)	.669 (17)	10

NPTF BANJO STEM ASSEMBLIES

Examples of various banjo stems with single and double banjo bodies

BANJO STEM

Part No.
55410
55420
55430



BANJO BODY INCH OR METRIC



Single
banjo stem


Double
banjo stem

Triple
banjo stem

With nylon banjo body remove the washer.

85500

SINGLE BANJO BODY




Code	Usa Ref	Tube	A	B	L	CH	D	Pack
85500 00 019	85500-02-M6	1/8	M6	.551 (14)	.807 (20,5)	.354 (9)	.394 (10)	10
85500 00 001	85500-02-02	1/8	1/8	.649 (16,5)	.807 (20,5)	.551 (14)	.394 (10)	10
85500 00 002	85500-53-M5	5/32 (4)	M5	.551 (14)	.767 (19,5)	.354 (9)	.394 (10)	10
85500 00 003	85500-53-M6	5/32 (4)	M6	.551 (14)	.767 (19,5)	.354 (9)	.394 (10)	10
85500 00 004	85500-53-02	5/32 (4)	1/8	.649 (16,5)	.846 (21,5)	.551 (14)	.394 (10)	10
85500 00 005	85500-53-04	5/32 (4)	1/4	.728 (18,5)	.925 (23,5)	.708 (18)	.394 (10)	10
85500 00 021	85500-04-M5	1/4	M5	.551 (14)	.826 (21)	.354 (9)	.472 (12)	10
85500 00 010	85500-04-M6	1/4	M6	.551 (14)	.826 (21)	.354 (9)	.472 (12)	10
85500 00 011	85500-04-02	1/4	1/8	.649 (16,5)	.905 (23)	.551 (14)	.472 (12)	10
85500 00 012	85500-04-04	1/4	1/4	.728 (18,5)	1.003 (25,5)	.708 (18)	.472 (12)	10
85500 00 013	85500-05-02	5/16 (8)	1/8	.649 (16,5)	.925 (23,5)	.551 (14)	.551 (14)	10
85500 00 014	85500-05-04	5/16 (8)	1/4	.728 (18,5)	1.023 (26)	.708 (18)	.551 (14)	10
85500 00 015	85500-05-06	5/16 (8)	3/8	.866 (22)	1.082 (27,5)	.826 (21)	.551 (14)	10
85500 00 020	85500-06-04	3/8	1/4	.728 (18,5)	1.221 (31)	.708 (18)	.669 (17)	10
85500 00 016	85500-06-06	3/8	3/8	.866 (22)	1.200 (30,5)	.826 (21)	.669 (17)	10
85500 00 017	85500-08-06	1/2	3/8	.866 (22)	1.279 (32,5)	.826 (21)	.787 (20)	10
85500 00 018	85500-08-08	1/2	1/2	1.023 (26)	1.377 (35)	1.023 (26)	.787 (20)	10

For BANJO STEM assemblies

85510

DOUBLE BANJO BODY




Code	Usa Ref	Tube	A	B	L	CH	D	Pack
85510 00 008	85510-53-M5	5/32 (4)	M5	.551 (14)	1.535 (39)	.354 (9)	.394 (10)	10
85510 00 001	85510-53-02	5/32 (4)	1/8	.649 (16,5)	1.692 (43)	.551 (14)	.394 (10)	10
85510 00 006	85510-04-02	1/4	1/8	.649 (16,5)	1.811 (46)	.551 (14)	.472 (12)	10
85510 00 007	85510-04-04	1/4	1/4	.728 (18,5)	2.007 (51)	.708 (18)	.472 (12)	10
85510 00 004	85510-05-02	5/16 (8)	1/8	.649 (16,5)	1.850 (47)	.551 (14)	.551 (14)	10
85510 00 005	85510-05-04	5/16 (8)	1/4	.728 (18,5)	2.047 (52)	.708 (18)	.551 (14)	10

For BANJO STEM assemblies

85520

DOUBLE BANJO BODY




Code	Usa Ref	Tube	A	B	C	L	D	Pack
85520 00 001	85520-53-02	5/32 (4)	1/8	.650 (16,5)	.512 (13)	.827 (21)	.472 (12)	10
85520 00 002	85520-53-04	5/32 (4)	1/4	.728 (18,5)	.610 (15,5)	.945 (24)	.551 (14)	10
85520 00 003	85520-04-02	1/4	1/8	.650 (16,5)	.512 (13)	.846 (21,5)	.492 (12,5)	10
85520 00 004	85520-04-04	1/4	1/4	.728 (18,5)	.610 (15,5)	.965 (24,5)	.551 (14)	10
85520 00 005	85520-04-06	1/4	3/8	.866 (22)	.531 (13,5)	.984 (25)	.492 (12,5)	10
85520 00 006	85520-05-04	5/16 (8)	1/4	.728 (18,5)	.610 (15,5)	.965 (24,5)	.551 (14)	10
85520 00 007	85520-05-06	5/16 (8)	3/8	.866 (22)	.748 (19)	1.102 (28)	.669 (17)	10
85520 00 008	85520-06-06	3/8	3/8	.866 (22)	.748 (19)	1.102 (28)	.669 (17)	10

For BANJO STEM assemblies

55410

BANJO SCREW SINGLE




Code	Usa Ref	A	L	CH	Pack.
55410 00 01 B5 NB	55410-M5	M5	.866 (22)	.315 (8)	10
55410 00 01 B8 NB	55410-M6	M6	.906 (23)	.315 (8)	10
55410 00 01 02 NB	55410-1/8	1/8	1.102 (28)	.551 (14)	10
55410 00 01 03 NB	55410-1/4	1/4	1.260 (32)	.669 (17)	10
55410 00 01 04 NT	55410-3/8	3/8	1.417 (36)	.748 (19)	10
55410 00 01 05 NT	55410-1/2	1/2	1.654 (42)	.945 (24)	10
55410 00 01 D6 NT	55410-M12X1,5	*M12x1.5	1.260 (32)	.669 (17)	10

* With this banjo SCREW using 1/4 orienting banjo body.

55420

BANJO SCREW DOUBLE




Code	Usa Ref	A	L	CH	Pack.
55420 00 01 02 NT	55420-1/8	1/8	1.752 (44,5)	.551 (14)	10
55420 00 01 03 NT	55420-1/4	1/4	1.988 (50,5)	.669 (17)	10
55420 00 01 04 NT	55420-3/8	3/8	2.283 (58)	.748 (19)	10
55420 00 01 05 NT	55420-1/2	1/2	2.677 (68)	.945 (24)	10
55420 00 01 D6 NT	55420-M12X1,5	*M12x1.5	1.988 (50,5)	.669 (17)	10

* With this banjo SCREW using 1/4 orienting banjo body.

55430


BANJO SCREW TRIPLE



Code	Usa Ref	A	L	CH	Pack.
55430 00 01 02 NT	55430-1/8	1/8	2.402 (61)	.551 (14)	10
55430 00 01 03 NT	55430-1/4	1/4	2.717 (69)	.669 (17)	10
55430 00 01 04 NT	55430-3/8	3/8	3.150 (80)	.748 (19)	10
55430 00 01 05 NT	55430-1/2	1/2	3.701 (94)	.945 (24)	10

82241


ADAPTER FEMALE BSP - MALE NPTF



Code	Usa Ref	A (NPTF)	B (BSPP)	H	L	CH	Pack.
82241 00 01 8K NB	82241N-32-M5	10/32 UNF	M5	.177 (4.5)	.472 (12)	.315 (8)	10
82241 00 01 2W NB	82241N-02-02	1/8	1/8	.335 (8.5)	.768 (19.5)	.551 (14)	10
82241 00 01 6W NB	82241N-04-04	1/4	1/4	.512 (13)	1.063 (27)	.669 (17)	10
82241 00 01 AB NB	82241N-06-06	3/8	3/8	.512 (13)	1.102 (28)	.866 (22)	10
82241 00 01 AG NB	82241N-08-08	1/2	1/2	.669 (17)	1.358 (34.5)	1.063 (27)	10

88610


POLYAMIDE PLUG



Code	Usa Ref	Tube	L	Pack.
88610 00 31 02 NE	88610B-02	1/8	.709 (18)	10
88610 00 31 27 NE	88610B-53	5/32	.925 (23.5)	10
88610 00 31 03 NE	88610B-04	1/4	.965 (24.5)	10
88610 00 31 28 NE	88610B-05	5/16	1.024 (26)	10
88610 00 31 04 NE	88610B-06	3/8	1.122 (28.5)	10
88610 00 31 05 NE	88610B-08	1/2	1.122 (28.5)	10

85620

TERMINAL PLUG



Code	Usa Ref	Tube	D	L	Pack
85620 00 004	85620-53	5/32 (4)	.393 (10)	.708 (18)	10
85620 00 002	85620-04	1/4	.492 (12.5)	.787 (20)	10
85620 00 005	85620-05	5/16 (8)	.551 (14)	.846 (21.5)	10
85620 00 006	85620-06	3/8	.669 (17)	.984 (25)	10
85620 00 007	85620-08	1/2	.787 (20)	1.082 (27.5)	10

55625


DOUBLE JOINT



Code	Usa Ref	Tube	L	L1	Pack
55625 00 31 X1 NE	55625-4	5/32 (4)	1.358 (34,5)	.630 (16)	10
55625 00 31 03 NE	55625-6	1/4 (6)	1.555 (39,5)	.728 (18,5)	10
55625 00 31 X7 NE	55625-8	5/16 (8)	1.654 (42)	.768 (19,5)	10
55625 00 31 04 NE	55625-10	3/8 (10)	2.028 (51,5)	.945 (24)	10
55625 00 31 05 NE	55625-12	1/2 (12)	2.362 (60)	1.102 (28)	10

85700


tube REDUCER



Code	Usa Ref	A	B	L	D	Pack
85700 00 001	85700-04-53	1/4	5/32 (4)	1.339 (34)	.394 (10)	10
85700 00 008	85700-05-53	5/16 (8)	5/32 (4)	1.496 (38)	.472 (12)	10
85700 00 002	85700-05-04	5/16 (8)	1/4	1.535 (39)	.492 (12,5)	10
85700 00 003	85700-06-04	3/8	1/4	1.673 (42,5)	.492 (12,5)	10
85700 00 004	85700-06-05	3/8	5/16 (8)	1.654 (42)	.551 (14)	10
85700 00 005	85700-08-04	1/2	1/4	1.516 (38,5)	.492 (12,5)	10
85700 00 006	85700-08-05	1/2	5/16 (8)	1.634 (41,5)	.551 (14)	10
85700 00 007	85700-08-06	1/2	3/8	1.909 (48,5)	.669 (17)	10

85705


Tube Expander



Code	Usa Ref	A	B	L	D	Pack
85705 00 001	85705-53-04	5/32 (4)	1/4	1.417 (36)	.472 (12)	10
85705 00 002	85705-04-05	1/4	5/16 (8)	1.516 (38,5)	.551 (14)	10
85705 00 003	85705-04-06	1/4	3/8	1.654 (42)	.669 (17)	10
85705 00 004	85705-05-06	5/16 (8)	3/8	1.693 (43)	.669 (17)	10
85705 00 005	85705-06-08	3/8	1/2	1.89 (48)	.787 (20)	10


87800

PUSH-FIT CARTRIDGES



Code	Usa Ref	Tube	H1	H2	D	Pack
87800 00 001	87800-02	1/8	.382 (9,7)	.197 (5)	.264 (6,7)	25
87800 00 002	87800-53	5/32 (4)	.433 (11)	.220 (5,6)	.343 (8,7)	25
87800 00 003	87800-04	1/4	.528 (13,4)	.272 (6,9)	.423 (10,75)	25
87800 00 004	87800-05	5/16 (8)	.528 (13,4)	.270 (6,85)	.500 (12,7)	25
87800 00 005	87800-06	3/8	.630 (16)	.335 (8,5)	.618 (15,7)	25
87800 00 006	87800-08	1/2	.720 (18,3)	.374 (9,5)	.720 (18,3)	25

SEAT



Seats dimensions push-fit cartridges.

Tube	D1	D2	D3	D4	H1	H2	H3	R
1/8 (3)	.134 (3,4)	.238 (6,05)	.252 (6,4)	.274 (6,95)	.146 (3,7)	.240 (6,1)	.339 (8,6)	.020 (0,5)
5/32 (4)	.165 (4,2)	.293 (7,45)	.331 (8,4)	.354 (9)	.148 (3,75)	.256 (6,5)	.374 (9,5)	.020 (0,5)
1/4 (6.6)	.259 (6,6)	.368 (9,35)	.411 (10,45)	.447 (11,35)	.197 (5)	.335 (8,5)	.453 (11,5)	.020 (0,5)
5/16 (8)	.323 (8,2)	.449 (11,4)	.488 (12,4)	.508 (12,9)	.205 (5,2)	.335 (8,5)	.492 (12,5)	.030 (0,75)
3/8 (9.7)	.381 (9,7)	.571 (14,5)	.606 (15,4)	.630 (16)	.264 (6,7)	.413 (10,5)	.591 (15)	.030 (0,75)
1/2 (13)	.511 (13)	.669 (17)	.709 (18)	.748 (19)	.295 (7,5)	.476 (12,1)	.669 (17)	.039 (1)

55801

TOOL FOR PUSH-FIT CARTRIDGES SEAT



Code	Usa Ref	Tube	ø Body
55801 00 007	55801-3	1/8 (3)	.394 (10)
55801 00 001	55801-4	5/32 (4)	.394 (10)
87801 00 002	87801-04	1/4	.472 (12)
55801 00 003	55801-8	5/16 (8)	.472 (12)
87801 00 003	87801-06	3/8	.630 (16)
87801 00 004	87801-8	1/2	.630 (16)

55802

TOOL FOR PUSH-FIT CARTRIDGES SEAT



Code	Usa Ref	Tube
55802 00 001	55802-3	1/8
55802 00 002	55802-4	5/32 (4)
55802 00 004	55802-6	1/4 (6)
55802 00 005	55802-8	5/16 (8)
55802 00 006	55802-10	3/8 (10)
55802 00 007	55802-12	1/2 (12)

PUSH-FIT CARTRIDGE ASSEMBLING INSTRUCTIONS ART. 87800

1

Use tool to drill into material to create the seat for the Push-Fit Cartridge.



2

Insert lip seal.




3

Insert cartridge into the assembling tool.




4

Press cartridge into the seat until it stops.



50980


SECURITY CLIP



Code	Usa Ref	Tube	Pack
50980 00 32 X1 RO	50980-53	5/32 (4)	50
50980 00 32 X4 RO	50980-04	1/4 (6)	50
50980 00 32 X7 RO	50980-05	5/16 (8)	50
50980 00 32 X9 RO	50980-06	3/8 (10)	50
50980 00 32 Y1 RO	50980-08	1/2 (12)	50

50990


TOOL FOR DISASSEMBLING



Code	Usa Ref	Pack
50990 00 001	50990	10

50006

THREAD PACKING FOR THE "SWIFTFIT" TAPER THREADS



Code	Usa Ref	Thread	Pack
50006 00 24 02 00	50006-02	1/8	10
50006 00 24 03 00	50006-04	1/4	10
50006 00 24 04 00	50006-06	3/8	10
50006 00 24 05 00	50006-08	1/2	10

NOTES